

DIRECT DRIVE AIR COMPRESSORS



48T25COMPUTE

2HP

FEATURES

- Two new Compact models.
- Great for small storage areas.
- Portable enough for onsite work, especially medium to high rise 'fixing out' work.
- 48TCOMPUTE is great to travel in the back of the ute - lower centre of gravity
- Rubber front 'foot' for stability.
- "OIL TO BE ADDED"
- Our compressors are supplied 'dry'.

Model	48T2015	48T25COMPUTE
FAD (Free Air Delivery)	110 ltr/min	125 ltr/min
CYLINDERS	1	1
MOTOR	1.5kw	1.5kw
MOTOR SPEED	2800 RPM	2800 RPM
AIR RECEIVER	15 LITRES	8 LIT. x 2 (=16L)
SAFETY VALVE WORKING PRESSURE	.88MPA	.88MPA
WEIGHT	19kg	20kg
APN	9314679961021	9314679961038



25 litre/2HP

48T2525

FEATURES

- Longer removable handle for better balance.
- Rear lift handle.
- Twin air release valves.
- Pneumatic tyres for smoother transportation.
- Large rubber front 'foot' for stability.
- Oil level window.
- "OIL TO BE ADDED"
- Our compressors are supplied 'dry'.

Model	48T2525
FAD (FREE AIR DELIVERY)	125 ltr/min
CYLINDERS	1
MOTOR	1.5KW
MOTOR SPEED	2800 RPM
AIR RECEIVER	25 LITRES
SAFETY VALVE WORKING PRESSURE	.88MPA
WEIGHT	28kg
APN	9314679951336



40 litre/2.5HP

48T3040

FEATURES

- Larger 40 litre air receiver - longer worm.
- Longer removable handle for better transportation.
- Twin air release valves for two tools.
- Pneumatic tyres for smoother transportation.
- Rear 'lift' handle grip.
- "OIL TO BE ADDED"
- Our compressors are supplied 'dry'.

Model	48T3040
FAD (Free Air Delivery)	135 ltr/min
CYLINDERS	1
MOTOR	1.8KW
MOTOR SPEED	2800 RPM
AIR RECEIVER	40 LITRES
SAFETY VALVE WORKING PRESSURE	.88MPA
WEIGHT	35kg
APN	9314679951343

BELT DRIVE AIR COMPRESSORS



50 litre/2.5HP

48T3050

FEATURES

- Larger twin cylinder unit for professional use.
- Air filter regulator included.
- Fully guarded V belt and drive wheel areas.
- 'EURO' motor.
- Twin rubber feet for stability.
- Rear handle grip for lifting.
- Twin air release valves for two tool operation.

Model	48T3050
FAD (FREE AIR DELIVERY)	250 ltr/min
CYLINDERS	2
MOTOR	1.8KW
MOTOR SPEED	2800 RPM
AIR RECEIVER	50 LITRES
SAFETY VALVE WORKING PRESSURE	.88MPA
WEIGHT	45kg
APN	9314679942952

BENCH DRILLS



41MD131612

FEATURES

- 16mm chuck.
- 12 speeds.
- 1/2 HP 'output' motor.
- Smooth table height adjustment.
- Tilting worm table.
- Longer substantial work handles for leverage.
- Drill chuck guard included.

41MD12D

FEATURES

- 12mm chuck.
- 5 speeds.
- Separate ON and OFF switches.
- Adjustable depth stop.
- Drill chuck guard included.

Model	41MD131612	41MD12D
CHUCK	16mm	12.70mm
MOTOR	375W(INPUT)	250W(OUTPUT)
SPEEDS	12	5
MAX. CAPACITY IN STEEL	16mm DIA	12.7mm DIA
HEIGHT	790mm	580mm
THROAT	125mm	100mm
WEIGHT	30kg	20kg
APN	9314679946202	9314679913488

BENCH GRINDERS



ACCESSORIES

GRINDING WHEELS - ALUMINIUM OXIDE

400GW624	150mm X 24g
400GW636	150mm X 36g
400GW660	150mm X 60g
400GW824	200mm X 24g
400GW836	200mm X 36g
400GW860	200mm X 60g

GRINDING WHEELS - SILICONE CARBIDE

400SC6100	150mm X 100g
400SC8100	200mm X 100g

40BBG6LK

▲ INCLUDED IN 40BBG6LK & 40BBG8LK

SILICON CARBIDE WHEEL

SHARPENS TUNGSTEN CARBIDE!
e.g. MASONRY DRILLS,
PLANER BLADES



BUFFING WHEEL

POLISHES METAL!
e.g. GOLF CLUBS,
METAL WORK



Model	40BG6E	40BBG6LK	40BBG8LK
WHEEL SIZE	150 X 16mm	150 X 25mm	200 X 25mm
MOTOR	200W	375W	560W
WEIGHT	8kg	10kg	12kg
APN	9314679960987	9314679961007	9314679961014

BANDSAWS



42BBS315



42BBS350

42BBS350/42BBS315

FEATURES

- Bandsaws include mitre gauges, fences & stands.
- Rack and pinion height of cut adjustment.
- Motors and electrics are assembled ready to go.
- Dust extraction feature on all models.

Model	42BBS315	42BBS350
MOTOR	560W	750W
THROAT	305mm	350mm
MAX. DEPTH OF CUT	150mm	150mm
TABLE TILT	0-45°	0-45°
STAND INCLUDED	YES	YES
WEIGHT	65kg	77kg
APN	9314679942914	9314679942914

NOTE: ALL WIRING AND MOTOR ASSEMBLY IS CARRIED OUT AT THE FACTORY.



42BBS190

FEATURES

- Mitre gauge and fence are included.
- Rack and pinion height adjustment.
- Viewing window for tracking.
- Safety switch turns off motor if main front cover is opened.
- Dust extraction port.

Model	42BBS190
MOTOR	350W
THROAT	190mm
MAX. DEPTH OF CUT	90mm
TABLE TILT	0-45°
STAND INCLUDED	NO
WEIGHT	15kgkg
APN	9314679942914

BANDSAW BLADES

- Widths available = 6.4, 9.5mm
- No. of Teeth = 4, 6, 10, 14TP

BELT & DISC SANDER



44CBD46

FEATURES

- Standard belt & disc sizes.
- Disc enclosed.
- Large tilting work table.
- Mitre gauge supplied.
- Dust extractors port.
- Safety on/off switch.
- SUITABLE FOR THE SANDING OF TIMBER.

Model	44CBD46
BELT SIZE	100 X 914mm
MOTOR	250W
DISC DIAMETER	150mm
TABLE TILT	0-45°
STAND	NO
WEIGHT	18kg
APN	9314679910029