

TOWA SERIES BLADES | ECONOMY BLADE RANGE | CLOCK SETS



18CL
255MM
HSS BLADE
CLOCK
 APN 9314679960567



181802040CL
182352040CL



Product No.	Size	APN
-------------	------	-----

TOWA TCT SAW BLADES

181602040	160mm x 20mm x 40T	9314679960802
181602060	160mm x 20mm x 60T	9314679960819
18180201624	180mm x 20/16mm x 24T	9314679960796
18180201640	180mm x 20/16mm x 40T	9314679960918
18180201660	180mm x 20/16mm x 60T	9314679960789
181902440	190mm x 24mm x 40T	9314679960925
181902460	190mm x 24mm x 60T	9314679960932
182103025	210mm x 30mm x 25T	9314679960758
182103060	210mm x 30mm x 60T	9314679960451
182352516	235mm x 25mm x 16T	9314679960772
182352540	235mm x 25mm x 40T	9314679960536
182352560	235mm x 25mm x 60T	9314679960550
182503025440	250mm x 30/25.4mm x 40T	9314679960949
182503025460	250mm x 30/25.4mm x 60T	9314679960826
182503025480	250mm x 30/25.4mm x 80T	9314679960833

181802040CL

- TCT Saw Blades
- 1 - 180 x 20/16 x 20T
- 1 - 180 x 20/16 x 40T

- 255mm HSS Blade Clock

APN 9314679960574

182352040CL

- TCT Saw Blades
- 1 - 235 x 25 x 20T
- 1 - 235 x 25 x 40T

- 255mm HSS Blade Clock

APN 93146799



*NOTES: BATTERIES NOT INCLUDED. CLOCK IS NOT TO BE USED IN A CIRCULAR SAW.

'TK' SERIES BLADES | THIN KERF RANGE



FEATURES

- Craftmaster blades have been developed over three decades of research and development. Strict tolerances ensure accurate work.
- Blade bodies are manufactured from AISI 1080 Steel that is heat treated and tempered to 38-44 °C Rockwell. Both sides of the body are precision ground and polished to a precise gauge. Bodies are hammered and tensioned.
- Blade bodies are **LASER CUT** to produce accurate profiles and accurate bore sizes.
- Selected **SUBMICRON GRADE TUNGSTEN CARBIDE TIPS** are used to ensure long life and a sharper edge. Tips are braced onto the body using **TRI-METAL SHIM** that gives impact resistance to each tooth.

KERF SIZES

- 160mm – 1.7mm, 180mm – 1.7mm, 210mm – 2.2mm, 216mm – 2.2mm, 235mm – 2.2mm, 250mm – 2.2mm.

IMPORTANT NOTE: WHEN CUTTING ANY ALUMINIUM, LUBRICANT MUST BE USED REGULARLY. SOLID TYPE LUBRICANT IS RECOMMENDED. THE LUBRICANT REDUCES THE BLADE "GRABBING" ON CERTAIN ALUMINIUMS. BLADES MUST BE SHARP WHEN CUTTING ALUMINIUM.

Product No.	Size	APN
-------------	------	-----

TIMBER CUTTING BLADES

17100MULTI	100mm x 20mm x 20T	9314679943232
171602020	160mm x 20mm x 20T	9416206323163
171602040	160mm x 20mm x 40T	9416206323194
171602060	160mm x 20mm x 60T	9416206323453
171802020	180mm x 20mm x 20T	9416206323101
171802040	180mm x 20mm x 40T	9416206323118
171802060	180mm x 20mm x 60T	9416206323460
172102520	210mm x 25mm x 20T	9416206323217
172102540	210mm x 25mm x 40T	9416206323224
172102560	210mm x 25mm x 60T	9416206323477
172163040N	216mm x 30mm x 40Neg	9416206323484
172163040P	216mm x 30mm x 40Pos	9416206323514
172163060N	216mm x 30mm x 60Neg	9416206323491
172163060P	216mm x 30mm x 60Pos	9416206323521
172163080N	216mm x 30mm x 80Neg	9416206323507
172163080P	216mm x 30mm x 80Pos	9416206323538
172352520	235mm x 25mm x 20T	9416206323149
172352540	235mm x 25mm x 40T	9416206323156
172352560	235mm x 25mm x 60T	9416206323545
172352580	235mm x 25mm x 80T	9416206323552
172353520	235mm x 35mm x 20T	9416206323606
172353540	235mm x 35mm x 40T	9416206323613
172353560	235mm x 35mm x 60T	9416206323569
172353580	235mm x 35mm x 80T	9416206323576
172503040	250mm x 30mm x 40T	9416206323354
172503060	250mm x 30mm x 60T	9416206323255
172503080	250mm x 30mm x 80T	9416206323293
1725030100	250mm x 30mm x 100T	9416206323279
1726025460	260mm x 25.4mm x 40T	9416206322760

ALUMINIUM CUTTING RANGE

171602060A	160mm x 20mm x 60T	9416206323583
171802060A	180mm x 20mm x 60T	9416206322555
172102560A	210mm x 25mm x 80T	9416206322333
172163080A	216mm x 30mm x 80T	9416206321343
172352580A	235mm x 25mm x 80T	9416206323026
172353580A	235mm x 35mm x 80T	9416206323590
1725030100A	250mm x 30mm x 100T	9416206322975

ALUMINIUM LUBRICANT

07LUBE	300mm x 75mm Diameter	9314679903953
07LUBE2	150mm x 50mm Diameter	9314679903946

KOYO SERIES BLADES

The Original and Still the Best!



Display Packet:-
100mm – 250mm Dia.

FEATURES

- Full heavy duty tradesman's range.
- 'Thin Kerf' blade range. Places less load on the circular saw.
- Very fine teeth ranges.
- Full range to suit all types of Circular, Mitre, Compound Mitre & Table Saws.
- Made in Japan to the highest of standards.

KERF SIZES

- **100, 110, 125** = 1.5mm
- **140** = 2.0mm
- **160, 180, 200** = 2.5mm
- **216, 235** = 2.8mm
- **250, 300, 350, 380** = 3.0mm



MULTI-CUTTER FEATURES

- To be used fitted to circular saws, with guarding.
- Designed to cut: Fibreglass (light section), P.V.C. Pipe, Plywood and Partical Board, Aluminium Extrusion.
- When cutting the above materials ensure correct guarding is used and lubricant is used when cutting aluminium.

Product No.	Diameter	APN
-------------	----------	-----

ALUMINIUM LUBRICANT

07LUBE	300mm x 75mm Diameter	9314679903953
07LUBE2	150mm x 50mm Diameter	9314679903946

IMPORTANT NOTE: • WHEN CUTTING ANY ALUMINIUM, LUBRICANT MUST BE USED REGULARLY. SOLID TYPE LUBRICANT IS RECOMMENDED. THE LUBRICANT REDUCES THE BLADE "GRABBING" ON CERTAIN ALUMINIUMS. • BLADES MUST BE SHARP WHEN CUTTING ALUMINIUM.

Product No.	Diameter	Bores	No. of Teeth	APN
-------------	----------	-------	--------------	-----

MULTI-CUTTER BLADE

0700MULTI	100mm	20mm	20	9314679903359
-----------	-------	------	----	---------------

TIMBER CUTTING BLADES

07100201624	100mm	20mm	24	9314679910494
071102018	110mm	20mm	18	9314679903366
071252020	125mm	20mm	20	9314679903373
071401620	140mm	16mm	20	9314679911057
071401630	140mm	16mm	30	9314679911064
071401640	140mm	16mm	40	9314679911071
071602030	160mm	20mm	30	9314679903380
071602040	160mm	20mm	40	9314679903397
071602060	160mm	20mm	60	9314679903403
071802024	180mm	20mm	24	9314679903434
071802030	180mm	20mm	30	9314679903441
071802040	180mm	20mm	40	9314679903458
071802060	180mm	20mm	60	9314679903465
072002530	200mm	25mm	30	9314679903526
072002540	200mm	25mm	40	9314679903533
072002560	200mm	25mm	60	9314679903540
072002580	200mm	25mm	80	9314679903557
072163040N	216mm	30mm	40N	9314679903571
072163040P	216mm	30mm	40P	9314679903588
072163060N	216mm	30mm	60N	9314679903595
072163060P	216mm	30mm	60P	9314679903601
072163080N	216mm	30mm	80N	9314679903625
072163080P	216mm	30mm	80P	9314679903632
072352530	235mm	25mm	30	9314679903649
072352540	235mm	25mm	40	9314679903656
072352560	235mm	25mm	60	9314679903663
072352580	235mm	25mm	80	9314679903670
072353530	235mm	35mm	30	9314679903694
072353540	235mm	35mm	40	9314679903700
072353560	235mm	35mm	60	9314679903717
072353580	235mm	35mm	80	9314679903724
072502540	250mm	25mm	40	9314679910562
072502560	250mm	25mm	60	9314679910579
072502580	250mm	25mm	80	9314679910586
0725025100	250mm	25mm	100	9314679910593
072503040	250mm	30mm	40	9314679903762
072503060	250mm	30mm	60	9314679903779
072503080	250mm	30mm	80	9314679903786
0725030100	250mm	30mm	100	9314679903748
073003060	300mm	30mm	60	9314679903823
073003080	300mm	30mm	80	9314679903830
0730030100	300mm	30mm	100	9314679903793
0730030120	300mm	30mm	120	9314679903816
073502560	350mm	25mm	60	9314679903878
073502580	350mm	25mm	80	9314679903885
0735025100	350mm	25mm	100	9314679903847
0735025120	350mm	25mm	120	9314679903854
07380254060	380mm	25.4mm	60	9314679903892
07380254080	380mm	25.4mm	80	9314679903908
07380254100	380mm	25.4mm	100	9314679903915
07380254120	380mm	25.4mm	120	9314679903922

ALUMINIUM/DOUBLE SIDED LAMINATE CUTTING

071602060A	160mm	20mm	60A	9314679903410
071802060A	180mm	20mm	60A	9314679903472
072002580A	200mm	25mm	80A	9314679903564
072163080A	216mm	30mm	80A	9314679903618
072352580A	235mm	25mm	80A	9314679903687
072353580A	235mm	35mm	80A	9314679903731
0725030100A	250mm	30mm	100A	9314679903755
0725025100A	250mm	25mm	100A	9314679900609
0730030100A	300mm	30mm	100A	9314679903809
0735025120A	350mm	25mm	120A	9314679903861
07380254120A	380mm	25.4mm	120A	9314679903939

LINBIDE SERIES BLADES | BENCHTOP RANGE

Laser Cut for Accuracy!



KERF SIZES

- 250mm – 3.2mm
- 300mm – 3.2mm
- 350mm – 3.2mm

Premium Quality Saw Blades!

All blades are roll tensioned to ensure a “flat blade”.

IMPORTANT NOTE: • WHEN CUTTING ANY ALUMINIUM, LUBRICANT MUST BE USED REGULARLY. SOLID TYPE LUBRICANT IS RECOMMENDED. THE LUBRICANT REDUCES THE BLADE “GRABBING” ON CERTAIN ALUMINIUMS. * BLADES **MUST** BE SHARP WHEN CUTTING ALUMINIUM.

Product No.	Diameter	Bores	No. of Teeth	APN
-------------	----------	-------	--------------	-----

TIMBER CUTTING BLADES

1325012	250mm	30mm	12	9416206330017
1325024	250mm	30mm	24	9416206330086
1325040	250mm	30mm	40	9416206330192
1325060	250mm	30mm	60	9416206330307
1325080	250mm	30mm	80	9416206330420
1330014	300mm	30mm	14	9416206330024
1330028	300mm	30mm	28	9416206330093
1330048	300mm	30mm	48	9416206330208
1330072	300mm	30mm	72	9416206330314
1330096	300mm	30mm	96	9416206330437
1335020	350mm	30mm	20	9416206330031
1335032	350mm	30mm	32	9416206330109
1335054	350mm	30mm	52	9416206330222
1335084	350mm	30mm	84	9416206330338
13350108	350mm	30mm	108	9416206330451

ALUMINIUM/DOUBLE SIDED LAMINATE CUTTING

1325060A	250mm	30mm	60A	9416206340092
1330072A	300mm	30mm	72A	9416206340108
1335084A	350mm	30mm	84A	9416206340122

Product No.	Description	APN
-------------	-------------	-----




ALUMINIUM CUTTING LUBRICANT

07LUBE	300mm x 75mm Dia	9314679903953
07LUBE2	150mm x 50mm Dia	9314679903946

ELEKTRA KGS 300 BLADE (NEGATIVE RAKE)

Product No.	Diameter	Bores	No. of Teeth	APN
132503024EB	250mm	30mm	24	9416206340313
132503040EB	250mm	30mm	40	9416206340320
132503060EB	250mm	30mm	60	9416206340337
132503080EB	250mm	30mm	80	9416206340344
0725030100A (ALUMINIUM)	250mm	30mm	100	9314679903755


TEETH CONFIGURATIONS



LINBIDE SAW BUSHES



Part No. 13SB200



200 SAW BUSHES IN 14 POPULAR SIZES SUPPLIED IN A COMPARTMENT BOX.

PRECISION SAW BUSHES

- 200 SAW BUSHES IN 14 POPULAR SIZES SUPPLIED IN A COMPARTMENT BOX.
- (15) 16 x 12.7 (15) 25 x 20 (20) 30 x 25 (5) 36 x 15 (10) 20 x 12.7 (10) 25.4 x 20 (10) 30 x 25.4 (10) 35 x 25 (20) 20 x 16 (25) 30 x 16 (10) 31.7 x 25 (20) 25 x 16 (20) 30 x 20 (5) 31.7 x 25.4

Product No.	Description	APN
13L (Add sizes)	Loose Bushes	–
13P (Add sizes)	Packet of 2 Bushes	–
13SB200	Bushes IN BOX	9416206315007